

**Miele**

Once a Miele,  
**Always a Miele.**



Cooking and Refrigeration Appliances  
Price List, New Zealand.

Effective 08.10.2026

## Discovery 2000 Oven - 60 cm

H 2457 B



PureLine OBSW

H 2457 BP



PureLine OBSW

H 2861 B



PureLine CLST

H 2861 BP



PureLine CLST



| Price                                | \$2,599        | \$2,999           | \$3,599          | \$3,999                                         |
|--------------------------------------|----------------|-------------------|------------------|-------------------------------------------------|
| Item Number                          | 12422640       | 12422650          | 12174510         | CLST 12174530<br>OBSW 12174490<br>GRGR 12174500 |
| Capacity                             | 76 l           | 76 l              | 76 l             | 76 l                                            |
| Display / Controls                   | EasyControl    | EasyControl       | EasyControl Plus | EasyControl Plus                                |
| Cooking Functions                    | 9              | 9                 | 10               | 11                                              |
| Catalytic Liner / Pyrolytic Cleaning | YES / -        | - / YES           | YES / -          | - / YES                                         |
| Pyrofit Accessories                  | -              | -                 | -                | -                                               |
| Door Construction                    | Triple Glazing | Quadruple Glazing | Triple Glazing   | Quadruple Glazing                               |
| SoftOpen / SoftClose                 | -              | -                 | YES / YES        | YES / YES                                       |
| Automatic Programmes                 | -              | -                 | YES              | YES                                             |
| User Programmes                      | -              | -                 | -                | -                                               |
| Moisture Plus                        | -              | -                 | -                | -                                               |
| Crisp Function                       | -              | -                 | -                | -                                               |
| TasteControl                         | -              | -                 | -                | -                                               |
| Corded / Wireless Food Probe         | -              | -                 | -                | -                                               |
| FoodView                             | -              | -                 | -                | -                                               |
| Miele@home <sup>1</sup>              | -              | -                 | YES              | YES                                             |
| SuperVision Display                  | -              | -                 | -                | -                                               |
| MotionReact                          | -              | -                 | -                | -                                               |
| Cavity Lighting                      | Halogen        | Halogen           | Halogen          | Halogen                                         |
| Baking Tray                          | 1              | 1                 | 1                | 1                                               |
| Multi-Purpose Tray                   | 1              | 1                 | 1                | 1                                               |
| Grilling and Roasting Insert         | -              | -                 | 1                | 1                                               |
| Wire Racks                           | 2              | 2                 | 2                | 2                                               |
| FlexiClips                           | 1              | 1                 | 1                | 1                                               |
| AirFry Tray                          | -              | -                 | 1                | 1                                               |

Exclusive to Miele.

Highlight indicates difference from model to model within the appliance group.

Colour variant codes: CLST = CleanSteel, OBSW = Obsidian Black, GRGR = Graphite Grey.

<sup>1</sup>Miele@home is the umbrella term covering all aspects of connected Miele appliances, regardless whether their operation is via the Miele App, via voice control, or via full integration into existing SmartHome systems.

## Generation 7000 Oven - 60 cm

H 7260 BP



PureLine CLST

H 7264 BP



PureLine CLST

H 7464 BP



PureLine CLST

H 7860 BP



PureLine CLST

|                                      |                   |                                |                                                                  |                                                                              |
|--------------------------------------|-------------------|--------------------------------|------------------------------------------------------------------|------------------------------------------------------------------------------|
| Price                                | \$5,399           | \$6,299                        | \$8,399                                                          | \$11,499                                                                     |
| Item Number                          | 11128380          | CLST 11128420<br>OBSW 11128400 | CLST 11128470<br>OBSW 11128450<br>GRGR 11128460<br>PEBE 12821510 | CLST 11128580<br>OBSW 11128560<br>GRGR 11128570                              |
| Capacity                             | 76 l              | 76 l                           | 76 l                                                             | 76 l                                                                         |
| Display / Controls                   | DirectSensor S    | DirectSensor S                 | DirectSensor                                                     | M Touch                                                                      |
| Cooking Functions                    | 11                | 11                             | 14                                                               | 17                                                                           |
| Catalytic Liner / Pyrolytic Cleaning | - / YES           | - / YES                        | - / YES                                                          | - / YES                                                                      |
| Pyrofit Accessories                  | -                 | -                              | YES                                                              | YES                                                                          |
| Door Construction                    | Quadruple Glazing | Quadruple Glazing              | Quadruple Glazing                                                | Quadruple Glazing                                                            |
| SoftOpen / SoftClose                 | YES / YES         | YES / YES                      | YES / YES                                                        | YES / YES                                                                    |
| Automatic Programmes                 | YES               | YES                            | YES                                                              | YES                                                                          |
| User Programmes                      | -                 | -                              | YES                                                              | YES                                                                          |
| Moisture Plus                        | -                 | YES                            | YES                                                              | YES                                                                          |
| Crisp Function                       | -                 | -                              | YES                                                              | YES                                                                          |
| TasteControl                         | -                 | -                              | YES                                                              | YES                                                                          |
| Corded / Wireless Food Probe         | -                 | -                              | Corded                                                           | Wireless                                                                     |
| FoodView                             | -                 | -                              | -                                                                | YES                                                                          |
| Miele@home <sup>1</sup>              | -                 | YES                            | YES                                                              | YES                                                                          |
| SuperVision Display                  | -                 | -                              | -                                                                | YES                                                                          |
| MotionReact                          | -                 | -                              | -                                                                | YES                                                                          |
| Cavity Lighting                      | Halogen           | Halogen                        | LED                                                              | LED                                                                          |
| Baking Tray                          | 1                 | 1                              | 1                                                                | 1                                                                            |
| Multi-Purpose Tray                   | 1                 | 1                              | 1                                                                | 1                                                                            |
| Grilling and Roasting Insert         | 1                 | 1                              | 1                                                                | 1                                                                            |
| Wire Racks                           | 2                 | 2                              | 2                                                                | 2                                                                            |
| FlexiClips                           | 1                 | 1                              | 1                                                                | 1                                                                            |
| Available Design Line                |                   |                                |                                                                  |                                                                              |
| ArtLine - (Handleless)               | -                 | -                              | \$8,399<br>OBSW 11128490<br>GRGR 11128500                        | \$11,499<br>OBSW 11128600<br>GRGR 11128610<br>MABL 12326420<br>PEBE 12802200 |

Exclusive to Miele.

Highlight indicates difference from model to model within the appliance group.

Colour variant codes: CLST = CleanSteel, OBSW = Obsidian Black, GRGR = Graphite Grey, MABL = Matte Black, PEBE = Pearl Beige.

<sup>1</sup>Miele@home is the umbrella term covering all aspects of connected Miele appliances, regardless whether their operation is via the Miele App, via voice control, or via full integration into existing SmartHome systems.

## Generation 7000 Oven - 90 cm

H 7890 BP



Price **\$20,999**

|                                      |                   |
|--------------------------------------|-------------------|
| Item Number                          | 11127830          |
| Capacity                             | 90 l              |
| Display / Controls                   | M Touch           |
| Cooking Functions                    | 17                |
| Catalytic Liner / Pyrolytic Cleaning | - / YES           |
| Pyrofit Accessories                  | YES               |
| Door Construction                    | Quadruple Glazing |
| SoftOpen / SoftClose                 | YES / YES         |
| Automatic Programmes                 | YES               |
| User Programmes                      | YES               |
| Moisture Plus                        | YES               |
| Crisp Function                       | YES               |
| TasteControl                         | -                 |
| Corded / Wireless Food Probe         | Wireless          |
| FoodView                             | YES               |
| Miele@home <sup>1</sup>              | YES               |
| SuperVision Display                  | YES               |
| MotionReact                          | YES               |
| Cavity Lighting                      | Halogen           |
| Baking Tray                          | 1                 |
| Multi-Purpose Tray                   | 1                 |
| Grilling and Roasting Insert         | 1                 |
| Wire Racks                           | 2                 |
| FlexiClips                           | 1                 |

**Exclusive to Miele.**

<sup>1</sup>Miele@home is the umbrella term covering all aspects of connected Miele appliances, regardless whether their operation is via the Miele App, via voice control, or via full integration into existing SmartHome systems.

## Straight Steam - 45 cm x 60 cm

DG 2840



PureLine CLST

**\$4,999**

Price

|                                       |                                |
|---------------------------------------|--------------------------------|
| Item Number                           | CLST 11135390<br>OBSW 11135350 |
| Appliance Type                        | Straight Steam                 |
| Display / Controls                    | EasySensor                     |
| Oven Compartment Volume in l          | 40                             |
| Water Tank Capacity in l              | 1.5                            |
| Steam Delivery                        | DualSteam Technology           |
| Automatic Programmes                  | -                              |
| User Programmes                       | -                              |
| <b>Cavity Finish</b>                  | Stainless steel                |
| Auto Steam Reduction                  | YES                            |
| SoftOpen / SoftClose                  | YES / YES                      |
| Plumbed Option                        | -                              |
| MotionReact                           | -                              |
| Appliance Networking                  | -                              |
| SuperVision                           | -                              |
| Perforated Stainless Steel Containers | x2                             |
| Solid Stainless Steel Containers      | x1                             |
| Wire Rack                             | x1                             |
| Drip Tray                             | x1                             |

**Exclusive to Miele.**

Colour variant codes: CLST = CleanSteel, OBSW = Obsidian Black.

\*Miele@home is the umbrella term covering all aspects of connected Miele appliances, regardless whether their operation is via the Miele App, via voice control, or via full integration into existing SmartHome systems.

## 2-in-1 Combi Steam Oven - 60 cm

DGC 7250



PureLine CLST

DGC 7450



PureLine CLST

Price

**\$5,299**

**\$6,299**

| Item Number                                       | 12086520       | CLST 11819160<br>OBSW 11819120 |
|---------------------------------------------------|----------------|--------------------------------|
| Appliance Type                                    | 2-in-1         | 2-in-1                         |
| Display / Controls                                | DirectSensor S | DirectSensor                   |
| Oven Compartment Volume in l                      | 76             | 76                             |
| Steam Type with External Steam Generator (2.2 kW) | MonoSteam      | MonoSteam                      |
| Oven Light                                        | 1x Halogen     | 1x LED                         |
| 5 Shelf Levels with Removable Side Racks          | YES            | YES                            |
| CleanGlass Door with SoftOpen / SoftClose         | YES            | YES                            |
| Cooking Functions                                 | 11             | 16                             |
| Oven Temperature in °C                            | 30 - 250       | 30 - 250                       |
| TasteControl (RapidCooling Function)              | YES            | YES                            |
| Crisp Function                                    | -              | YES                            |
| Moisture Plus                                     | YES            | YES                            |
| Automatic Programmes (Oven)                       | 29             | 76                             |
| User Programmes                                   | -              | 20                             |
| Steam Temperature in °C                           | 70 - 100       | 70 - 100                       |
| Fresh Water - Volume in l (Drawn by Suction Rod)  | 1.0            | 1.0                            |
| Automatic Programmes (Steam)                      | 15             | 144                            |
| Defrost                                           | YES            | YES                            |
| Soak Maintenance Programme                        | YES            | YES                            |
| Oven Compartment Drying Programme                 | YES            | YES                            |
| Automatic Descaling                               | YES            | YES                            |
| Miele@home <sup>1</sup>                           | YES            | YES                            |
| CoolTouch Door                                    | YES            | YES                            |
| Safety Switch-off                                 | YES            | YES                            |
| System Lock / Sensor Lock                         | YES            | YES                            |
| FlexiClip Runners with PerfectClean               | 1 Pair         | 1 Pair                         |
| Universal Tray with PerfectClean                  | x1             | x1                             |
| Baking Tray with PerfectClean                     | x1             | x1                             |
| Wire Rack with PerfectClean                       | x1             | x1                             |
| Removable Side Racks with PerfectClean            | 1 Pair         | 1 Pair                         |
| Perforated Stainless Steel Cooking Container      | x1             | x1                             |
| Solid Stainless Steel Cooking Container           | x1             | x1                             |
| Descaling Tablets                                 | x2             | x2                             |

Exclusive to Miele.

Highlight indicates difference from model to model within the appliance group.

Colour variant codes: CLST = CleanSteel, OBSW = Obsidian Black.

<sup>1</sup>Miele@home is the umbrella term covering all aspects of connected Miele appliances, regardless whether their operation is via the Miele App, via voice control, or via full integration into existing SmartHome systems.

## 3-in-1 Pro Combi Steam Oven - 45 cm x 60 cm

DGC 7440 HC Pro



PureLine CLST



### Price

**\$8,399**

|                                                                                          |                                                  |
|------------------------------------------------------------------------------------------|--------------------------------------------------|
| Item Number                                                                              | CLST 12087200<br>OBSW 12086870<br>PEBE 12820830  |
| Display Type                                                                             | DirectSensor                                     |
| Oven Compartment Volume in l / No. of Shelf Levels                                       | 47 / 3                                           |
| Quick Release Side Racks / Hinged Grill Element / CleanGlass Door                        | YES / YES / YES                                  |
| SoftOpen / SoftClose / Touch2Open                                                        | YES / YES / -                                    |
| External Steam Generator Performance (3.3 kW) / Steam Type                               | YES / DualSteam                                  |
| Fresh Water Container Volume in l                                                        | 1.4                                              |
| Temperature Range: Oven / Steam (in °C)                                                  | 30-230°C / 40-100°C                              |
| Oven Functions (Conventional, Steam & Combi Mode)                                        | 14                                               |
| Automatic Programmes                                                                     | 75+                                              |
| Crisp Function / GourmetRoast / Keeping Warm (15 mins) / Cakes Plus                      | YES / YES / YES / YES                            |
| Mix & Match (Gentle Cook & Reheat   Crispy Heat & Reheat)                                | YES                                              |
| Food Probe                                                                               | -                                                |
| Menu Cooking (Automatic & Manual) / Sous-vide / Defrost                                  | YES / YES / YES                                  |
| User Programmes                                                                          | 20                                               |
| Sabbath Programme                                                                        | YES                                              |
| Miele@home <sup>1</sup>                                                                  | YES                                              |
| SuperVision / MotionReact                                                                | -                                                |
| Plumbed-in                                                                               | -                                                |
| HydroClean                                                                               | YES                                              |
| Soak / Rinse / Maintenance Programmes                                                    | YES / YES / YES                                  |
| Oven Compartment Drying Programme                                                        | YES                                              |
| Automatic Descaling                                                                      | YES                                              |
| Appliance Cooling System and CoolTouch Door                                              | YES                                              |
| Safety Switch-off / System Lock / Sensor Lock                                            | YES / YES / YES                                  |
| 1x Universal Tray with PerfectClean                                                      | YES                                              |
| 1x FlexiClip Runners with PerfectClean                                                   | -                                                |
| 1x Removable Side Racks                                                                  | YES                                              |
| Perforated Stainless Steel Cooking Containers / Solid Stainless Steel Cooking Containers | x1 / x1                                          |
| Descaling Tablets                                                                        | x2                                               |
| HydroCleaner Detergent                                                                   | x1                                               |
| Available Design Line                                                                    |                                                  |
| ArtLine - (Handleless)                                                                   | <b>\$8,399</b><br>OBSW 12087320<br>GRGR 12087340 |

Exclusive to Miele.

Colour variant codes: CLST = CleanSteel, OBSW = Obsidian Black, GRGR = Graphite Grey, PEBE = Pearl Beige.

<sup>1</sup>Miele@home is the umbrella term covering all aspects of connected Miele appliances, regardless whether their operation is via the Miele App, via voice control, or via full integration into existing SmartHome systems.

## 3-in-1 Pro Combi Steam Oven - 45 cm x 60 cm

|                                                                                          | DGC 7840 HC Pro                                                                    | DGC 7845 HC Pro                                                                     |
|------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|                                                                                          |  |  |
|                                                                                          | PureLine CLST                                                                      | PureLine CLST                                                                       |
|                                                                                          |   |  |
| Price                                                                                    | \$12,599                                                                           | \$12,999                                                                            |
| Item Number                                                                              | CLST 12087560<br>OBSW 12087530<br>GRGR 12087550                                    | CLST 12087800<br>OBSW 12087700                                                      |
| Display Type                                                                             | M Touch                                                                            | M Touch                                                                             |
| Oven Compartment Volume in l / No. of Shelf Levels                                       | 47 / 3                                                                             | 47 / 3                                                                              |
| Quick Release Side Racks / Hinged Grill Element / CleanGlass Door                        | YES / YES / YES                                                                    | YES / YES / YES                                                                     |
| SoftOpen / SoftClose / Touch2Open                                                        | YES / YES / -                                                                      | YES / YES / -                                                                       |
| External Steam Generator Performance (3.3 kW) / Steam Type                               | YES / DualSteam                                                                    | YES / DualSteam                                                                     |
| Fresh Water Container Volume in l                                                        | 1.4                                                                                | 1.4                                                                                 |
| Temperature Range: Oven / Steam (in °C)                                                  | 30-230°C / 40-100°C                                                                | 30-230°C / 40-100°C                                                                 |
| Oven Functions (Conventional, Steam & Combi Mode)                                        | 14                                                                                 | 14                                                                                  |
| Automatic Programmes                                                                     | 150+                                                                               | 150+                                                                                |
| Crisp Function / GourmetRoast / Keeping Warm (15 mins) / Cakes Plus                      | YES / YES / YES / YES                                                              | YES / YES / YES / YES                                                               |
| Mix & Match (Gentle Cook & Reheat   Crispy Heat & Reheat)                                | YES                                                                                | YES                                                                                 |
| Food Probe                                                                               | Wireless                                                                           | Wireless                                                                            |
| Menu Cooking (Automatic & Manual) / Sous-vide / Defrost                                  | YES / YES / YES                                                                    | YES / YES / YES                                                                     |
| User Programmes                                                                          | 20                                                                                 | 20                                                                                  |
| Sabbath Programme                                                                        | YES                                                                                | YES                                                                                 |
| Miele@home <sup>1</sup>                                                                  | YES                                                                                | YES                                                                                 |
| SuperVision / MotionReact                                                                | YES                                                                                | YES                                                                                 |
| Plumbed-in                                                                               | -                                                                                  | YES                                                                                 |
| HydroClean                                                                               | YES                                                                                | YES                                                                                 |
| Soak / Rinse / Maintenance Programmes                                                    | YES / YES / YES                                                                    | YES / YES / YES                                                                     |
| Oven Compartment Drying Programme                                                        | YES                                                                                | YES                                                                                 |
| Automatic Descaling                                                                      | YES                                                                                | YES                                                                                 |
| Appliance Cooling System and CoolTouch Door                                              | YES                                                                                | YES                                                                                 |
| Safety Switch-off / System Lock / Sensor Lock                                            | YES / YES / YES                                                                    | YES / YES / YES                                                                     |
| 1x Universal Tray with PerfectClean                                                      | YES                                                                                | YES                                                                                 |
| 1x FlexiClip Runners with PerfectClean                                                   | YES                                                                                | YES                                                                                 |
| 1x Removable Side Racks                                                                  | YES                                                                                | YES                                                                                 |
| Perforated Stainless Steel Cooking Containers / Solid Stainless Steel Cooking Containers | x2 / x1                                                                            | x2 / x1                                                                             |
| Descaling Tablets                                                                        | x2                                                                                 | x2                                                                                  |
| HydroCleaner Detergent                                                                   | x1                                                                                 | x1                                                                                  |
| Available Design Line                                                                    |                                                                                    |                                                                                     |
| ArtLine - (Handleless)                                                                   | \$12,599<br>OBSW 12087620                                                          | \$12,999<br>OBSW 12087840 / GRGR 12087850<br>MABL 12326430 / PEBE 12802270          |

Exclusive to Miele.

Colour variant codes: CLST = CleanSteel, OBSW = Obsidian Black, GRGR = Graphite Grey, MABL = Matte Black, PEBE = Pearl Beige.

<sup>1</sup>Miele@home is the umbrella term covering all aspects of connected Miele appliances, regardless whether their operation is via the Miele App, via voice control, or via full integration into existing SmartHome systems.

## 3-in-1 Pro Combi Steam Oven - 60 cm x 60 cm

DGC 7460 HC Pro



PureLine CLST



### Price

**\$11,499**

|                                                                                          |                                                 |
|------------------------------------------------------------------------------------------|-------------------------------------------------|
| Item Number                                                                              | CLST 12087480<br>OBSW 12087460<br>GRGR 12087470 |
| Display Type                                                                             | DirectSensor                                    |
| Oven Compartment Volume in l / No. of Shelf Levels                                       | 67 / 4                                          |
| Quick Release Side Racks / Hinged Grill Element / CleanGlass Door                        | YES / YES / YES                                 |
| SoftOpen / SoftClose / Touch2Open                                                        | YES / YES / -                                   |
| External Steam Generator Performance (3.3 kW) / Steam Type                               | YES / DualSteam                                 |
| Fresh Water Container Volume in l                                                        | 1.4                                             |
| Temperature Range: Oven / Steam (in °C)                                                  | 30-230°C / 40-100°C                             |
| Oven Functions (Conventional, Steam & Combi Mode)                                        | 14                                              |
| Automatic Programmes                                                                     | 75+                                             |
| Crisp Function / GourmetRoast / Keeping Warm (15 mins) / Cakes Plus                      | YES / YES / YES / YES                           |
| Mix & Match (Gentle Cook & Reheat   Crispy Heat & Reheat)                                | YES                                             |
| Food Probe                                                                               | -                                               |
| Menu Cooking (Automatic & Manual) / Sous-vide / Defrost                                  | YES / YES / YES                                 |
| User Programmes                                                                          | 20                                              |
| Sabbath Programme                                                                        | YES                                             |
| Miele@home <sup>1</sup>                                                                  | YES                                             |
| SuperVision / MotionReact                                                                | -                                               |
| Plumbed-in                                                                               | -                                               |
| HydroClean                                                                               | YES                                             |
| Soak / Rinse / Maintenance Programmes                                                    | YES / YES / YES                                 |
| Oven Compartment Drying Programme                                                        | YES                                             |
| Automatic Descaling                                                                      | YES                                             |
| Appliance Cooling System and CoolTouch Door                                              | YES                                             |
| Safety Switch-off / System Lock / Sensor Lock                                            | YES / YES / YES                                 |
| 1x Universal Tray with PerfectClean                                                      | YES                                             |
| 1x FlexiClip Runners with PerfectClean                                                   | YES                                             |
| 1x Removable Side Racks                                                                  | YES                                             |
| Perforated Stainless Steel Cooking Containers / Solid Stainless Steel Cooking Containers | x1 / x1                                         |
| Descaling Tablets                                                                        | x2                                              |
| HydroCleaner Detergent                                                                   | x1                                              |

**Exclusive to Miele.**

Colour variant codes: CLST = CleanSteel, OBSW = Obsidian Black, GRGR = Graphite Grey.

<sup>1</sup>Miele@home is the umbrella term covering all aspects of connected Miele appliances, regardless whether their operation is via the Miele App, via voice control, or via full integration into existing SmartHome systems.

## 3-in-1 Pro Combi Steam Oven - 60 cm x 60 cm

DGC 7860 HC Pro



PureLine CLST



**\$15,799**

DGC 7865 HC Pro



PureLine CLST



**\$16,299**

|                                                                                          |                                |                                |
|------------------------------------------------------------------------------------------|--------------------------------|--------------------------------|
| Price                                                                                    |                                |                                |
| Item Number                                                                              | CLST 12087900<br>OBSW 12087870 | CLST 12087940<br>OBSW 12087920 |
| Display Type                                                                             | M Touch                        | M Touch                        |
| Oven Compartment Volume in l / No. of Shelf Levels                                       | 67 / 4                         | 67 / 4                         |
| Quick Release Side Racks / Hinged Grill Element / CleanGlass Door                        | YES / YES / YES                | YES / YES / YES                |
| SoftOpen / SoftClose / Touch2Open                                                        | YES / YES / -                  | YES / YES / -                  |
| External Steam Generator Performance (3.3 kW) / Steam Type                               | YES / DualSteam                | YES / DualSteam                |
| Fresh Water Container Volume in l                                                        | 1.4                            | 1.4                            |
| Temperature Range: Oven / Steam (in °C)                                                  | 30-230°C / 40-100°C            | 30-230°C / 40-100°C            |
| Oven Functions (Conventional, Steam & Combi Mode)                                        | 14                             | 14                             |
| Automatic Programmes                                                                     | 150+                           | 150+                           |
| Crisp Function / GourmetRoast / Keeping Warm (15 mins) / Cakes Plus                      | YES / YES / YES / YES          | YES / YES / YES / YES          |
| Mix & Match (Gentle Cook & Reheat   Crispy Heat & Reheat)                                | YES                            | YES                            |
| Food Probe                                                                               | Wireless                       | Wireless                       |
| Menu Cooking (Automatic & Manual) / Sous-vide / Defrost                                  | YES / YES / YES                | YES / YES / YES                |
| User Programmes                                                                          | 20                             | 20                             |
| Sabbath Programme                                                                        | YES                            | YES                            |
| Miele@home <sup>1</sup>                                                                  | YES                            | YES                            |
| SuperVision / MotionReact                                                                | YES                            | YES                            |
| Plumbed-in                                                                               | -                              | YES                            |
| HydroClean                                                                               | YES                            | YES                            |
| Soak / Rinse / Maintenance Programmes                                                    | YES / YES / YES                | YES / YES / YES                |
| Oven Compartment Drying Programme                                                        | YES                            | YES                            |
| Automatic Descaling                                                                      | YES                            | YES                            |
| Appliance Cooling System and CoolTouch Door                                              | YES                            | YES                            |
| Safety Switch-off / System Lock / Sensor Lock                                            | YES / YES / YES                | YES / YES / YES                |
| 1x Universal Tray with PerfectClean                                                      | YES                            | YES                            |
| 1x FlexiClip Runners with PerfectClean                                                   | YES                            | YES                            |
| 1x Removable Side Racks                                                                  | YES                            | YES                            |
| Perforated Stainless Steel Cooking Containers / Solid Stainless Steel Cooking Containers | x2 / x1                        | x2 / x1                        |
| Descaling Tablets                                                                        | x2                             | x2                             |
| HydroCleaner Detergent                                                                   | x1                             | x1                             |

Exclusive to Miele.

Highlight indicates difference from model to model within the appliance group.

Colour variant codes: CLST = CleanSteel, OBSW = Obsidian Black.

<sup>1</sup>Miele@home is the umbrella term covering all aspects of connected Miele appliances, regardless whether their operation is via the Miele App, via voice control, or via full integration into existing SmartHome systems.

## Steam and Microwave Combination - 45 cm x 60 cm

DGM 7440



PureLine CLST



Price

**\$6,999**

|                                      |                                |
|--------------------------------------|--------------------------------|
| Item Number                          | CLST 11135500<br>OBSW 11135480 |
| Appliance Type                       | Steam & Microwave Combination  |
| Display / Controls                   | DirectSensor                   |
| Oven Compartment Volume in l         | 40                             |
| Water Tank Capacity in l             | 1.5                            |
| Steam Delivery                       | DualSteam Technology           |
| Automatic Programmes                 | 50+                            |
| User Programmes                      | 20                             |
| Cavity Finish                        | Stainless Steel Linen Finish   |
| Auto Steam Reduction                 | YES                            |
| Microwave Technology                 | Inverter                       |
| Microwave Wattage                    | 80 - 1000                      |
| Popcorn Function                     | YES                            |
| SoftOpen / SoftClose                 | YES / YES                      |
| MotionReact                          | -                              |
| Miele@home <sup>1</sup>              | YES                            |
| SuperVision                          | -                              |
| Glass Tray                           | 1                              |
| Perforated Stainless Steel Container | 2                              |
| Solid Stainless Steel Container      | 1                              |
| Deep Solid Stainless Steel Container | -                              |
| Wire Rack                            | 1                              |

Colour variant codes: CLST = CleanSteel, OBSW = Obsidian Black.

<sup>1</sup>Miele@home is the umbrella term covering all aspects of connected Miele appliances, regardless whether their operation is via the Miele App, via voice control, or via full integration into existing SmartHome systems.

## Microwave - 45 cm x 60 cm

### M 7244 TC



PureLine CLST



#### Price

**\$4,199**

|                                  |                                |
|----------------------------------|--------------------------------|
| Item Number                      | CLST 11134160<br>OBSW 11134140 |
| Appliance Type                   | Straight Microwave             |
| Capacity                         | 46 l                           |
| Display / Controls               | DirectSensor S                 |
| Microwave Wattage                | 80 - 900 W                     |
| Popcorn Function                 | YES                            |
| Quartz Grill                     | YES                            |
| SoftOpen / SoftClose             | YES / YES                      |
| Stainless Steel Oven Compartment | YES                            |
| Cavity Lighting                  | LED                            |
| Grilling Rack                    | 1                              |
| Gourmet Plate                    | 1                              |

## Speed Oven - 45 cm x 60 cm

H 7440 BM



PureLine CLST



H 7840 BM



PureLine CLST



Price

**\$6,799**

**\$8,999**

| Item Number                          | CLST 11128230<br>OBSW 11128210<br>PEBE 12821530 | CLST 11128320<br>OBSW 11128300                                    |
|--------------------------------------|-------------------------------------------------|-------------------------------------------------------------------|
| Capacity                             | 43 l                                            | 43 l                                                              |
| Display / Controls                   | DirectSensor                                    | M Touch                                                           |
| Cooking Functions                    | 11                                              | 15                                                                |
| Interior Enamel                      | PerfectClean Enamel                             | PerfectClean Enamel                                               |
| Catalytic Liner / Pyrolytic Cleaning | Stainless Steel                                 | Stainless Steel                                                   |
| Pyrofit Accessories                  | -                                               | -                                                                 |
| Door Construction                    | Quadruple Glazing                               | Quadruple Glazing                                                 |
| SoftOpen / SoftClose                 | YES / YES                                       | YES / YES                                                         |
| Automatic Programmes                 | YES                                             | YES                                                               |
| User Programmes                      | -                                               | -                                                                 |
| Moisture Plus                        | -                                               | -                                                                 |
| Crisp Function                       | YES                                             | YES                                                               |
| TasteControl                         | -                                               | -                                                                 |
| Corded / Wireless Food Probe         | -                                               | Corded                                                            |
| FoodView                             | -                                               | -                                                                 |
| Miele@home <sup>1</sup>              | YES                                             | YES                                                               |
| SuperVision Display                  | -                                               | YES                                                               |
| MotionReact                          | YES                                             | YES                                                               |
| Cavity Lighting                      | LED                                             | LED                                                               |
| Baking Tray                          | 1                                               | 1                                                                 |
| Glass Tray                           | 1                                               | 2                                                                 |
| Available Design Line                |                                                 |                                                                   |
| ArtLine - (Handleless)               | <b>\$6,799</b><br>OBSW 11128270                 | <b>\$8,999</b><br>OBSW 11128340<br>MABL 12326410<br>PEBE 12802190 |

Exclusive to Miele.

Highlight indicates difference from model to model within the appliance group.

Colour variant codes: CLST = CleanSteel, OBSW = Obsidian Black, MABL = Matte Black, PEBE = Pearl Beige.

<sup>1</sup>Miele@home is the umbrella term covering all aspects of connected Miele appliances, regardless whether their operation is via the Miele App, via voice control, or via full integration into existing SmartHome systems.

## Cooking

### Built-in coffee machines

| Item no.             | Product                                                         | Description                                                                                                                                                                                                          | NZD           |
|----------------------|-----------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| 11165380             | <b>CVA 7440</b><br><b>PureLine</b><br><b>CleanSteel</b>         | Full touch DirectSensor controls, EasyClick milk flask, CupSensor, 24+ beverage varieties, OneTouch for Two, WiFiConn@ct, MobileControl                                                                              | <b>7,999</b>  |
| 11165360             | <b>VitroLine</b><br><b>Obsidian Black</b>                       |                                                                                                                                                                                                                      |               |
| 11165390             | <b>CVA 7840</b><br><b>PureLine</b><br><b>CleanSteel</b>         | M Touch controls, CoffeeSelect - 3 separate bean containers, AutoClean, AutoDescale, EasyClick milk flask, CupSensor, 24+ beverage varieties, OneTouch for Two, WiFiConn@ct, MobileControl, MotionReact              | <b>9,499</b>  |
| 11165430             | <b>CVA 7845</b><br><b>CleanSteel</b>                            | M Touch controls, CoffeeSelect - 3 separate bean containers, AutoClean, AutoDescale, EasyClick milk flask, CupSensor, 24+ beverage varieties, OneTouch for Two, WiFiConn@ct, MobileControl, MotionReact, DirectWater | <b>10,499</b> |
| 11165410<br>12388750 | <b>Obsidian Black</b><br><b>VitroLine</b><br><b>Matte Black</b> |                                                                                                                                                                                                                      |               |

### Warming drawers

|                                  |                                                                                       |                                                                                                                                                                                    |              |
|----------------------------------|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| 11135170                         | <b>ESW 7010</b><br><b>Obsidian Black</b>                                              | Handleless design with Push2Open, 14 cm tall, Touch controls, capacity for 6 complete place settings, 4 operating modes incl food-warming and slow cooking functions, WiFiConn@ct  | <b>2,999</b> |
| 11135190<br>12326440<br>12802430 | <b>Graphite Grey</b><br><b>Matte Black</b><br><b>Pearl Beige</b>                      |                                                                                                                                                                                    |              |
| 11135240                         | <b>ESW 7020</b><br><b>PureLine</b><br><b>CleanSteel</b>                               | Handleless design with Push2Open, 29 cm tall, Touch controls, capacity for 12 complete place settings, 4 operating modes incl food-warming and slow cooking functions, WiFiConn@ct | <b>3,499</b> |
| 11135210<br>11135220             | <b>VitroLine</b><br><b>Obsidian Black</b><br><b>VitroLine</b><br><b>Graphite Grey</b> |                                                                                                                                                                                    |              |

### Vacuum sealing drawers

|          |                                          |                                                                                                                                                  |              |
|----------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| 11159260 | <b>EVS 7010</b><br><b>Obsidian Black</b> | Handleless design with Push2Open, 14 cm tall, Touch controls, 3 vacuum-sealing settings, fully telescopic runners for easy loading and unloading | <b>6,299</b> |
|----------|------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|--------------|

### Benchtop microwave oven

|          |                                    |                                                                                                                                                             |              |
|----------|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| 09546330 | <b>M 6012</b><br><b>CleanSteel</b> | Benchtop microwave with grill, 26 l capacity, stainless steel cavity, 800 W microwave, quartz grill, Automatic Programmes, 3-stage memory, left-hinged door | <b>1,799</b> |
|----------|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|

# Cooking

## Induction cooktops

| Item no. | Product                         | Description                                                                                                                                                                                                                                                                                                                                                                                 | NZD          |
|----------|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| 12399760 | <b>KM 7360 FL</b>               | 62 cm wide, 3 cooking zones, frameless design for flush or proud benchtop installation, ComfortSelect sensor controls, Con@ctivity-enabled, Miele@home                                                                                                                                                                                                                                      | <b>2,799</b> |
| 11230350 | <b>KM 7464 FL</b>               | 62 cm wide, 4 zone, with 1 PowerFlex zone induction cooktop with TwinBoost, frameless design for flush or proud benchtop installation, ComfortSelect sensor controls with timers and Stop&Go, 3-in-1 PowerFlex area can be used as two separate, one large or a casserole zone, Con@ctivity-enabled                                                                                         | <b>3,899</b> |
| 12399790 | <b>KM 7373 FL</b>               | 80 cm wide, 4 zone, with 1 flex zone, frameless design for flush or proud benchtop installation, Con@ctivity-enabled, Miele@home                                                                                                                                                                                                                                                            | <b>3,999</b> |
| 11230370 | <b>KM 7564 FL</b>               | 62 cm wide, 4 zone, with 2 PowerFlex zones induction cooktop with TwinBoost, frameless design for flush or proud benchtop installation, SmartSelect sensor controls with timers and Stop&Go, two 3-in-1 PowerFlex area can be used as two separate, one large or a casserole zone, Con@ctivity-enabled                                                                                      | <b>4,999</b> |
| 11230380 | <b>KM 7574 FL</b>               | 80 cm wide, 4 zone, with 1 PowerFlex zone induction cooktop with TwinBoost, frameless design for flush or proud benchtop installation, SmartSelect sensor controls with timers and Stop&Go, 3-in-1 PowerFlex area can be used as two separate, one large or a casserole zone, Con@ctivity-enabled                                                                                           | <b>5,699</b> |
| 12187600 | <b>KM 7575-2 FL</b>             | 80 cm wide, 6 zone, with 3 PowerFlex zones induction cooktop with TwinBoost, frameless design for flush or proud benchtop installation, SmartSelect sensor controls with timers and Stop&Go, three 3-in-1 PowerFlex areas can each be used as two separate, one large or a casserole zone, Con@ctivity-enabled, Scratch-resistant surface                                                   | <b>6,599</b> |
| 12527320 | <b>KM 7576-2 FL Matte Black</b> | 80 cm wide, 6 zone, with 3 PowerFlex zones induction cooktop with TwinBoost, frameless design for flush or proud benchtop installation, SmartSelect white sensor controls with timers and Stop&Go, three 3-in-1 PowerFlex areas can each be used as two separate, one large or a casserole zone, Con@ctivity-enabled. Matte finish surface is anti-fingerprint and highly scratch resistant | <b>6,799</b> |
| 12187610 | <b>KM 7678-2 FL</b>             | 80 cm wide, full-surface Induction cooktop with TwinBoost, frameless design for flush or proud benchtop installation, SmartSelect sensor controls with timers and Stop&Go, Con@ctivity-enabled                                                                                                                                                                                              | <b>7,299</b> |
| 12187590 | <b>KM 7594-2 FL</b>             | 93.6 cm wide, 5 zone, with 2 PowerFlex zones induction cooktop with TwinBoost, frameless design for flush or proud benchtop installation, SmartSelect sensor controls with timers and Stop&Go, two 3-in-1 PowerFlex areas can each be used as two separate, one large or a casserole zone, Con@ctivity-enabled                                                                              | <b>7,599</b> |
| 12187620 | <b>KM 7897-2 FL Diamond</b>     | 93.6 cm wide, full-surface induction cooktop with diamond finish coating. TwinBoost, frameless design for flush or proud benchtop installation, SmartSelect White sensor controls with timers and Stop&Go, Con@ctivity-enabled                                                                                                                                                              | <b>9,499</b> |

## Induction cooktops with vapour extraction

|          |                       |                                                                                                                                                                                                                       |              |
|----------|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| 12272210 | <b>KMDA 7473 FL-A</b> | 80 cm Induction cooktop with integrated vapour extraction. The quietest TwoInOne from Miele – Silence motor. Ample space – 4 large cooking zones including 2 Flex zones. Automatic fan power regulation – Con@ctivity | <b>7,399</b> |
|----------|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|

## SmartLine CombiSet cooktops

|          |                     |                                                                                                                                                                                   |              |
|----------|---------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| 11402680 | <b>CS 7101-1 FL</b> | Gas wok burner, 37.8 cm wide, GasStop safety, frameless for flush or proud installation                                                                                           | <b>3,699</b> |
| 11402690 | <b>CS 7102-1 FL</b> | 2 burner gas cooktop, 37.8 cm wide, GasStop safety, frameless for flush or proud installation                                                                                     | <b>3,899</b> |
| 10787010 | <b>CS 7612 FL</b>   | Induction cooktop, 37.8 cm wide, 2 zone with TwinBoost and food-warming function, 'on', 'residual heat' and 'booster' indicator lights, frameless for flush or proud installation | <b>2,999</b> |
| 11402260 | <b>CSDA 7001 FL</b> | Downdraft extractor, 12 cm wide, frameless for flush or proud installation                                                                                                        | <b>2,999</b> |

## CombiSet cooktop accessories

|          |                  |                                                                           |            |
|----------|------------------|---------------------------------------------------------------------------|------------|
| 10690630 | <b>CSZL 7000</b> | SmartLine CombiSet connecting rail for installation of side-by-side units | <b>139</b> |
|----------|------------------|---------------------------------------------------------------------------|------------|

## Stainless steel gas cooktops

|          |                   |                                                                                                                                                                                                       |              |
|----------|-------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| 06540270 | <b>KM 362-1 G</b> | 58.5 cm wide, 4 burners including wok burner (14.4 MJ/h), stainless steel                                                                                                                             | <b>2,599</b> |
| 09594410 | <b>KM 2334 G</b>  | 77 cm wide, 5 burners including mono wok burner (15.5 MJ/h), solid metal dials, ComfortClean dishwasher safe trivets, flat-fit stainless steel trough design                                          | <b>3,399</b> |
| 09323230 | <b>KM 2354 G</b>  | 88.8 cm wide, low profile design, solid metal dials, 5 burners including dual wok burner (16.0 MJ/h), solid metal knobs, ComfortClean dishwasher safe trivets, flat-fit stainless steel trough design | <b>4,199</b> |

\* Performance data tested under European Standard EN 61591 at the end of a specified ducting run.

# Cooking

## Ceramic gas cooktops

| Item no. | Product          | Description                                                                                                                                                                                                                                                                           | NZD          |
|----------|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| 09209870 | <b>KM 3014</b>   | 62.6 cm wide, 3 burners including high-output dual wok burner (17.0 MJ/h), electro-mechanical controls, ceramic glass with compact stainless steel frame, ComfortClean dishwasher-safe trivets                                                                                        | <b>3,499</b> |
| 10939820 | <b>KM 3034-1</b> | 80.6 cm wide, 5 burners including centrally positioned high-output dual wok burner (17.0 MJ/h), electronic controls with rapid ignition and switch-off, automatic reignition and minute minder, ceramic glass with raised stainless steel frame, ComfortClean dishwasher-safe trivets | <b>4,899</b> |
| 10939890 | <b>KM 3054-1</b> | 94.2 cm wide, 5 burners including off-set high-output dual wok burner (17.0 MJ/h), electronic controls with rapid ignition and switch-off, automatic reignition and minute minder, ceramic glass with raised stainless steel frame, ComfortClean dishwasher-safe trivets              | <b>5,499</b> |

## Gas conversion kits\*\*

|          |                  |                                                                      |
|----------|------------------|----------------------------------------------------------------------|
| 12285980 | <b>CSUG 7101</b> | Gas conversion kit suitable for CS 7101-1                            |
| 12286020 | <b>CSUG 7102</b> | Gas conversion kit suitable for CS 7102-1                            |
| 12285940 | <b>KMUG 2000</b> | Gas conversion kit suitable for KM 2012, KM 2054                     |
| 12285950 | <b>KMUG 2300</b> | Gas conversion kit suitable for KM 2312, KM 2334, KM 2354, KM 2357-1 |
| 12285960 | <b>KMUG 3000</b> | Gas conversion kit suitable for KM 3014, KM 3034-1, KM 3054-1        |
| 12285970 | <b>KMUG 362</b>  | Gas conversion kit suitable for KM 362-1                             |

## Slimline rangehoods

|          |                 |                                                                                                                |              |
|----------|-----------------|----------------------------------------------------------------------------------------------------------------|--------------|
| 11878390 | <b>DAS 2620</b> | 60 cm wide, EasySwitch pushbuttons, LED lighting, air flow up to 925 m³/h* in booster setting, Stainless steel | <b>1,699</b> |
|----------|-----------------|----------------------------------------------------------------------------------------------------------------|--------------|

## Built-in rangehoods

|          |                 |                                                                                                                                                                                                      |              |
|----------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| 12760970 | <b>DAE 1535</b> | 53 cm wide, EasySwitch electronic controls, 1 x 3.2 W LED strip light, air flow up to 640 m³/h* in booster setting.                                                                                  | <b>1,499</b> |
| 10539540 | <b>DA 2360</b>  | 60 cm wide, extra-slim design, light-touch controls with LEDs, 2 x 3 W LED lights, air flow up to 600 m³/h* in booster setting                                                                       | <b>2,499</b> |
| 10539550 | <b>DA 2390</b>  | 90 cm wide, extra-slim design, light-touch controls with LEDs, 4 x 3 W LED lights, air flow up to 600 m³/h* in booster setting                                                                       | <b>3,099</b> |
| 10868940 | <b>DA 2578</b>  | 70 cm wide, light-touch electronic controls with LEDs, 2 x 3 W LED lights, air flow up to 600 m³/h* in programmable booster setting, programmable filter saturation indicator                        | <b>2,599</b> |
| 10868980 | <b>DA 2698</b>  | 90 cm wide, extra-slim design, light-touch electronic controls with LEDs, ECO package, 4 x 3 W LED lights, stainless steel edge extraction, air flow up to 890 m³/h* in programmable booster setting | <b>5,299</b> |

## Downdraft extractor

|          |                 |                                                                                                                                                                                                                              |              |
|----------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| 13029510 | <b>DAD 6980</b> | 93.6 cm wide. Motorised retractable deflector plate – Hood in Motion. AmbientLight# – individual, coloured lighting. Efficient filtration- 10-ply stainless steel grease filter. Air flow up to 655 m³/h in booster setting. | <b>6,999</b> |
|----------|-----------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|

## Wall-mounted décor hoods

|          |                 |                                                                                                                                                             |              |
|----------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
| 10456810 | <b>PUR 98 W</b> | 90 cm wide, stainless steel casing, light-touch electronic controls with LEDs, 3 x 3 W LED lights, air flow up to 790 m³/h* in programmable booster setting | <b>3,699</b> |
|----------|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|

\* Performance data tested under European Standard EN 61591 at the end of a specified ducting run.

\*\*Special order only via online shop or spare parts.

## Cooking

### Rangehood accessories

| Item no.                                                                                     | Product                                          | Description                                                                                                                                                                                                                                                                                                                       | NZD        |
|----------------------------------------------------------------------------------------------|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 99501033                                                                                     | <b>DAS 150</b>                                   | Aluminium vent hose for ducting, 60 cm long, 150 mm diameter, supplied in 5 metre pack. Suitable with all Miele rangehoods                                                                                                                                                                                                        | <b>249</b> |
| 11258630                                                                                     | <b>DAMK 150-1</b>                                | Wall vent kit for extracting rangehoods, 150 mm, stainless steel grill. Suitable for all Miele rangehoods and KMDA's                                                                                                                                                                                                              | <b>419</b> |
| 04623200                                                                                     | <b>DDF 150 *</b>                                 | Roof vent for extraction, for tiled roof with min 22° pitch, stainless steel casing. Suitable for all Miele rangehoods and KMDA's                                                                                                                                                                                                 | <b>729</b> |
| 03915292                                                                                     | <b>DKS 150 *</b>                                 | Condensate trap, prevents condensation from re-entering rangehood canopy. Suitable for all Miele rangehoods and KMDA's                                                                                                                                                                                                            | <b>199</b> |
| 07294230                                                                                     | <b>DUU151 Conv. kit for air recirculation</b>    | Recirculation box for installation in cupboards, Suitable for DA 2360, 2390, 2450, 2578, 2518, 2668, 2698, 2628                                                                                                                                                                                                                   | <b>199</b> |
| 11762580                                                                                     | <b>DKF12-P Active charcoal filter</b>            | Recirculation filter- suitable for PUR 98 W, DA 399-7, DA 6698 W                                                                                                                                                                                                                                                                  | <b>179</b> |
| 11762550                                                                                     | <b>DKF15-P Active charcoal filter</b>            | Recirculation filter - Suitable for DA 2450, 2578, 2518, 7189 W                                                                                                                                                                                                                                                                   | <b>219</b> |
| 11762560                                                                                     | <b>DKF19-P Active charcoal filter</b>            | Recirculation filter - Suitable for DA 2360, 2390, 2668, 2628                                                                                                                                                                                                                                                                     | <b>179</b> |
| 11662790                                                                                     | <b>DKF30-P Active AirClean filter</b>            | Filter for DAD 4941                                                                                                                                                                                                                                                                                                               | <b>269</b> |
| 11662830                                                                                     | <b>DKF30-R Longlife AirClean filter</b>          | Filter for DAD 4941                                                                                                                                                                                                                                                                                                               | <b>819</b> |
| 11793450                                                                                     | <b>DKF31-P Active charcoal filter</b>            | Recirculation filter - Suitable for DAS 2620, 4620, 4920, 4630, 4930                                                                                                                                                                                                                                                              | <b>189</b> |
| 06264790                                                                                     | <b>DUW 20 Conv. kit</b>                          | Recirculation conversion kit for wall rangehood                                                                                                                                                                                                                                                                                   | <b>139</b> |
| 12185620                                                                                     | <b>DWL 80</b>                                    | New angle trim for downdraft extractors - two screws on the angle trim make it easy to adjust the height of the hob to match the downdraft extractor. Suitable for DAD 4941, DAD 4840, DAD 4940                                                                                                                                   | <b>149</b> |
| 11207310                                                                                     | <b>DUU1000-2 Conv. kit for air recirculation</b> | Recirculation box for installation in plinths                                                                                                                                                                                                                                                                                     | <b>979</b> |
| <b>Naber Compair rectangular steel ducting ^</b> Suitable for all Miele Rangehoods and KMDAs |                                                  |                                                                                                                                                                                                                                                                                                                                   |            |
| 99501354                                                                                     | <b>SF-VRO 150 *</b>                              | Flat duct ventilation pipe. 1000 mm length and can be shortened, connection dimensions 216 w x 83 h mm with seal. Comes with 2 SF profile seals, pre-assembled                                                                                                                                                                    | <b>219</b> |
| 99501362                                                                                     | <b>SF-VRO 150 support *</b>                      | Support bar for insertion into flat duct SF-VRO 150 for laying in the floor structure, 2 support bars needed for SF-VRO 150. Standing load 100 kg                                                                                                                                                                                 | <b>89</b>  |
| 99501356                                                                                     | <b>SF-UR 150 *</b>                               | Deflector 90°, suitable for flat ducts SF-VRO                                                                                                                                                                                                                                                                                     | <b>149</b> |
| 99501357                                                                                     | <b>SF-RBV 150 *</b>                              | Pipe bend vertical 90°. With air deflector, suitable for flat ducts SF-VRO                                                                                                                                                                                                                                                        | <b>109</b> |
| 99501358                                                                                     | <b>SF-RBH 150 *</b>                              | Pipe bend horizontal 90°. With air deflector, suitable for flat ducts SF-VRO                                                                                                                                                                                                                                                      | <b>119</b> |
| 99501360                                                                                     | <b>SF 150 *</b>                                  | Pipe set for downdraft ventilation. Space-saving arrangement of the exhaust pipes for extractor hoods with downdraft or downdraft ventilation, connection dimensions (222 x 89 mm) for direct connection to the ventilation system, guide direction (left / right) can be varied by repositioning, suitable for flat ducts SF-VRO | <b>239</b> |
| 99501361                                                                                     | <b>SF-VEST 150 *</b>                             | Offset end piece. Ø 148 mm (connection dimension inside), use when connecting downdraft hoods, suitable for flat ducts SF-VRO                                                                                                                                                                                                     | <b>229</b> |
| 99501359                                                                                     | <b>SF-RVB 150 *</b>                              | Pipe connector. Connector for flat duct pipes, suitable for flat ducts SF-VRO                                                                                                                                                                                                                                                     | <b>99</b>  |
| 99501355                                                                                     | <b>SF-EST 150 *</b>                              | End piece. Transition from flat to round, suitable for flat ducts SF-VRO                                                                                                                                                                                                                                                          | <b>109</b> |
| 99501405                                                                                     | <b>SF-Profile Seal *</b>                         | SF profile seal can be adapted to SF-VRO flat duct pipes as well as to the hood connection of the SF-150 pipe set for cooktop extractors                                                                                                                                                                                          | <b>69</b>  |
| 99501653                                                                                     | <b>SF VBS 150</b>                                | Pipe bend connector, 90 mm length, connecting element for two flat duct bends                                                                                                                                                                                                                                                     | <b>79</b>  |

\* Product available to special order only, estimated delivery time 4 months from date of order.

^ Naber Compair Steel flow duct components must only be connected to each other or to original Miele rangehood accessories, but never to any other type/ form of ducting, including other types of Naber or other rectangular ducting.

# Cooking

## Slimline rangehood accessories

| Item no. | Product           | Description                                                                 | NZD        |
|----------|-------------------|-----------------------------------------------------------------------------|------------|
| 11839970 | <b>DML 2000 *</b> | Installation set furniture frame. Suitable for DAS 2620, DAS 4620, DAS 4920 | <b>189</b> |

## Wall-mounted décor hood accessories

|          |                         |                                                                                       |            |
|----------|-------------------------|---------------------------------------------------------------------------------------|------------|
| 12566460 | <b>DATK 1-760 *</b>     | Stainless steel chimney extension for PUR 98 W, décor hoods, 760 mm long              | <b>399</b> |
| 12566640 | <b>DATK 2-1000 *</b>    | Stainless steel chimney extension for PUR 98 W, décor hoods, 1,000 mm long            | <b>399</b> |
| 12140580 | <b>DACW 895 *</b>       | Stainless steel chimney extension, ceiling height 600–895 mm. Suitable for PUR 98 W   | <b>489</b> |
| 12140570 | <b>DACW 1645/1775 *</b> | Stainless steel chimney extension 1325 -1645 mm. Suitable for PUR 98 W                | <b>779</b> |
| 12140560 | <b>DACW 1325/1455 *</b> | Stainless steel chimney extension, ceiling height 1005-1325 mm. Suitable for PUR 98 W | <b>669</b> |

## Oven accessories

|          |                                           |                                                                                                                                                                                                            |            |
|----------|-------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 10314270 | <b>HUB 5001-M</b>                         | Medium gourmet oven dish, Induction compatible, suits H 2000/H 6000/H 7000 appliances with 76 l oven capacity and DGC 7000 combi steam ovens with 48 l oven capacity (save \$100 when purchased with oven) | <b>539</b> |
| 10314310 | <b>HUB 5001-XL</b>                        | Large gourmet oven dish, Induction compatible, suits H 2000/H 6000/H 7000 appliances with 76 l oven capacity and DGC 7000 combi steam ovens with 48 l oven capacity (save \$100 when purchased with oven)  | <b>779</b> |
| 09520650 | <b>HFC 70</b>                             | 1 pair chrome FlexiClip fully telescopic runners, suits 60 cm wide 76 l capacity ovens and Generation 6000 and 7000 Combi steam ovens (save \$100 when purchased with oven)                                | <b>449</b> |
| 09520660 | <b>HFC 71</b>                             | 1 pair PerfectClean FlexiClip fully telescopic runners, suits 60 cm wide 76 l capacity ovens and Generation 6000 and 7000 Combi steam ovens (save \$100 when purchased with oven)                          | <b>509</b> |
| 09520670 | <b>HFC 72</b>                             | 1 pair Pyrofit FlexiClip fully telescopic runners, suits 60 cm wide 76 l capacity Pyrolytic ovens (save \$100 when purchased with oven)                                                                    | <b>589</b> |
| 05136950 | <b>HBD 60-22</b>                          | Stainless steel lid for medium gourmet oven dish, suits HUB 5000 M, HUB 5001 M and HUB 62-22                                                                                                               | <b>249</b> |
| 05136960 | <b>HBD 60-35</b>                          | Stainless steel lid for large gourmet oven dish suits HUB 61-35 and HUB 5001 XL                                                                                                                            | <b>259</b> |
| 05165170 | <b>HKL 60 *</b>                           | Black decor strip, 60 cm wide, suits installation of Microwave, Speed, Steam or Steam combination oven above 60 cm wide H 6000 series Oven                                                                 | <b>89</b>  |
| 07114780 | <b>HKL 60 *</b>                           | CleanSteel décor strip, 60 cm wide, suits installation of Microwave, Speed, Steam or Steam combination oven above 60 cm wide H 6000 series Oven                                                            | <b>89</b>  |
| 11345870 | <b>DS 7003 *</b>                          | Set of 3 x CleanSteel H 7000 series oven handles, for installation to kitchen cabinet doors or other furniture                                                                                             | <b>349</b> |
| 09520710 | <b>HFC 92</b>                             | 1 pair Pyrofit FlexiClip fully telescopic runners, suits 90 cm wide H 6000 and H 7000 series Ovens (save \$100 when purchased with oven)                                                                   | <b>589</b> |
| 11344390 | <b>HAL 90 *</b>                           | 90 cm Obsidian Black spacer bar, required for underbench installation of H 2890 B and H 7890 BP                                                                                                            | <b>249</b> |
| 11345930 | <b>DS 7000 VitroLine Obsidian Black *</b> | Glass inlay H 7000 series oven handle for installation to kitchen cabinet doors or other furniture                                                                                                         | <b>449</b> |
| 11345950 | <b>VitroLine Graphite Grey *</b>          |                                                                                                                                                                                                            |            |

## Cooktop accessories

|          |                    |                                                                                                                                                                                                                                                                                                                                                                                                                                               |            |
|----------|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| 10009310 | <b>GGRP</b>        | Gourmet griddle plate for a unique grilling experience on Miele Induction cooktops. Ideal for cooktops with PowerFlex. High-quality non-stick coating. Not suitable for gas and electric cooktops                                                                                                                                                                                                                                             | <b>609</b> |
| 11555900 | <b>KMTY</b>        | Gourmet Tepan Yaki multi-layer stainless-steel plate for preparing light and healthy dishes. Ideal for Miele cooktops with PowerFlex and full-surface induction. Not suitable for gas or electric cooktops                                                                                                                                                                                                                                    | <b>659</b> |
| 11945190 | <b>KMTS 5704-2</b> | Fiskars All Steel cookware starter set - is ideal for professional home chefs who appreciate the best tools in the kitchen. Set of 4 pans with satin finish exclusively made for Miele<br>Contents: • Frying pan Ø 28 cm • Saucepan Ø 16 cm, capacity: 1.5 l • Casserole pan Ø 18 cm, capacity 2.5 l • Casserole pan Ø 20 cm, capacity 4.0 l<br>Perfect on Miele induction cooktops. Also suitable for conventional electric and gas cooktops | <b>789</b> |

# Refrigeration

| Item no.                                         | Product                   | Description                                                                                                                                                                                                                                                                                                                                                                                                                | NZD           |
|--------------------------------------------------|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| <b>Freestanding refrigerators</b>                |                           |                                                                                                                                                                                                                                                                                                                                                                                                                            |               |
| 11949490                                         | <b>KS 4383 ED edt/cs</b>  | CleanSteel, 399 l total volume, DailyFresh freshness system, DynaCool, SuperCool, SideOpen, audible door alarm, ComfortClean, SensorTouch electronic controls, 6 star energy rating, 185 cm h x 60 cm w, suitable side-by-side partner for FNS 4382 E edt/CS                                                                                                                                                               | <b>3,399</b>  |
| 11949580                                         | <b>KS 4783 ED edt/cs</b>  | CleanSteel, 399 l total volume, DailyFresh freshness system, DynaCool, SuperCool, EasyOpen lever handle, audible door alarm, SoftClose, ComfortClean, chrome bottle rack, WiFiConn@ct, SensorTouch electronic controls, 6 star energy rating, 185 cm h x 60 cm w, suitable side-by-side partner for FNS 4782 E edt/CS                                                                                                      | <b>3,999</b>  |
| 12431300                                         | <b>BlackSteel</b>         |                                                                                                                                                                                                                                                                                                                                                                                                                            |               |
| <b>Freestanding freezers</b>                     |                           |                                                                                                                                                                                                                                                                                                                                                                                                                            |               |
| 11953080                                         | <b>FNS 4382 E edt/cs</b>  | CleanSteel, 278 l total volume, NoFrost, SuperFreeze, SideOpen, audible door alarm, ComfortClean, SensorTouch electronic controls, 5.5 star energy rating, 185 cm h x 60 cm w, suitable side-by-side partner for KS 4383 ED edt/cs                                                                                                                                                                                         | <b>3,399</b>  |
| 11953250                                         | <b>FNS 4782 E edt/cs</b>  | CleanSteel, 278 l total volume, NoFrost, SuperFreeze, EasyOpen lever handle, audible door alarm, SoftClose, ComfortClean, WiFiConn@ct, SensorTouch electronic controls, 5.5 star energy rating, 185 cm h x 60 cm w, suitable side-by-side partner for KS 4783 ED etc/cs                                                                                                                                                    | <b>3,999</b>  |
| 12430770                                         | <b>BlackSteel</b>         |                                                                                                                                                                                                                                                                                                                                                                                                                            |               |
| <b>Freestanding fridge / freezer combination</b> |                           |                                                                                                                                                                                                                                                                                                                                                                                                                            |               |
| 11949890                                         | <b>KFN 4375 DD edt/cs</b> | CleanSteel, bottom mount freezer, 330 l total volume, DailyFresh freshness system, DuplexCool, DynaCool, SuperCool, SuperFreeze, SideOpen, audible door and temperature alarm, NoFrost, ComfortClean, SensorTouch electronic controls, 185 cm h x 60 cm w, 6 star energy rating, not suitable for side-by-side installation                                                                                                | <b>3,499</b>  |
| 11954020                                         | <b>KFN 4776 ed/cs</b>     | CleanSteel, 75 cm wide, bottom mount freezer, 433 l total volume, DailyFresh freshness system, EasyOpen lever handle, DuplexCool, DynaCool, XL interior, SoftClose, NoFrost, WiFiConn@ct, 185 h x 75 cm w, 5.5 star energy rating                                                                                                                                                                                          | <b>4,299</b>  |
| <b>Integrated refrigerators</b>                  |                           |                                                                                                                                                                                                                                                                                                                                                                                                                            |               |
| 11738400                                         | <b>KS 7743 E Fridge</b>   | Fully integrated refrigerator, for 178 cm cabinet niche height, 294 l total volume, PerfectFresh Pro, DynaCool, SuperCool, LED lighting, ComfortClean, WiFiConn@ct, SensorTouch electronic controls, White dry wall, 5.5 star energy rating, right hinged (convertible), freely combinable with any K 7000 model                                                                                                           | <b>3,999</b>  |
| 11738410                                         | <b>KS 7793 D Fridge</b>   | Fully integrated refrigerator, for 178 cm cabinet niche height, 294 l total volume, PerfectFresh Active, DynaCool, SuperCool, FlexiLight 2.0 lighting, FlexiTray, SoftClose, ComfortClean, WiFiConn@ct, FreshTouch electronic controls, CleanSteel dry wall, 5.5 star energy rating, right hinged (convertible), freely combinable with any K 7000 model                                                                   | <b>5,999</b>  |
| <b>Integrated freezers</b>                       |                           |                                                                                                                                                                                                                                                                                                                                                                                                                            |               |
| 11738280                                         | <b>FNS 7740 F Freezer</b> | Fully integrated freezer, for 178 cm cabinet niche height, 213 l total volume, SuperFreeze, NoFrost, WiFiConn@ct, SensorTouch electronic controls, 4 star energy rating, left hinged (convertible), freely combinable with any K 7000 model                                                                                                                                                                                | <b>3,999</b>  |
| 11738290                                         | <b>FNS 7794 E Freezer</b> | Fully integrated freezer, for 178 cm cabinet niche height, 213 l total volume, IceMaker with mains water connection, LED lighting, SuperFreeze, NoFrost, SoftClose, WiFiConn@ct, FreshTouch electronic controls, 4 star energy rating, left hinged (convertible), freely combinable with any K 7000 model                                                                                                                  | <b>5,999</b>  |
| <b>Integrated fridge / freezer combinations</b>  |                           |                                                                                                                                                                                                                                                                                                                                                                                                                            |               |
| 12426100                                         | <b>KFNS 7734 D</b>        | Fully integrated fridge / freezer, for 178 cm cabinet niche height, 253 l volume, 183 l refrigerator / 70 l freezer, SensorTouch Controls, DailyFresh DynaCool, SuperCool, SuperFreeze, LED Lighting, VarioRoom, white dry wall, 5.5 star energy rating, freely combinable with any K 7000 and K 30000 model, Miele@home                                                                                                   | <b>4,299</b>  |
| 11738320                                         | <b>KFNS 7784 D</b>        | Fully integrated fridge / freezer, for 178 cm cabinet niche height, 254 l total gross volume, 184 l refrigerator / 69 l freezer, FreshTouch Controls, DailyFresh DynaCool, SuperCool, SuperFreeze, FlexiLight 2.0, VarioRoom, clean steel dry wall, SoftClose / SelfClose, FlexiTray, 5.5 star energy rating, freely combinable with any K 7000 and K 30000 model                                                          | <b>5,899</b>  |
| 11738390                                         | <b>KFNS 7795 D</b>        | Fully integrated fridge / freezer, for 178 cm cabinet niche height, 246 l total gross volume, 175 l refrigerator / 70 l freezer, FreshTouch Controls, PerfectFresh Active, DynaCool, SuperCool, SuperFreeze, NoFrost, FlexiLight 2.0, VarioRoom, clean steel dry wall, SoftClose / SelfClose, IceMaker with mains water connection, FlexiTray, 5.5 star energy rating, freely combinable with any K 7000 and K 30000 model | <b>6,999</b>  |
| <b>MasterCool fridge / freezer combinations</b>  |                           |                                                                                                                                                                                                                                                                                                                                                                                                                            |               |
| 12866580                                         | <b>KFMC 3834 L</b>        | MasterCool fully integrated 476 l fridge/freezer. 212 cm x 76 cm x 61 cm (H x W x D). Food stays fresh for up to 5 times longer – MasterFresh Pro. Everything in full view at all times – Cameras in the refrigerator. Up to 95 % less odours – thanks to Longlife AirClean system. Ice cubes for cold drinks – IceMaker. Practical illumination with elegant LEDs – BrilliantLight Pro.                                   | <b>24,999</b> |
| 12866810                                         | <b>KFMC 3844 FD</b>       | MasterCool fully integrated 576 l french door fridge/freezer. 212 cm x 90 cm x 61 cm (H x W x D). Food stays fresh for up to 5 times longer – MasterFresh Pro. Everything in full view at all times – Cameras in the refrigerator. Up to 95 % less odours – thanks to Longlife AirClean system. Ice cubes for cold drinks – IceMaker. Practical illumination with elegant LEDs – BrilliantLight Pro                        | <b>29,999</b> |

# Refrigeration

| Item no.                                   | Product               | Description                                                                                                                                                                                                                                                                                     | NZD           |
|--------------------------------------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| <b>MasterCool wine conditioner</b>         |                       |                                                                                                                                                                                                                                                                                                 |               |
| 12253670                                   | <b>KWT 2672 ViS *</b> | Premium MasterCool wine conditioning unit with three temperature zones, flexible FlexiFrame wooden racks, BrilliantLight illumination and SommelierSet for storing, conditioning and serving wine to perfection. 91 bottle capacity (750 ml Bordeaux shape). 213 cm x 60 cm x 51 cm (H X W X D) | <b>20,999</b> |
| <b>MasterCool accessories</b>              |                       |                                                                                                                                                                                                                                                                                                 |               |
| 10984120                                   | <b>KSK 2001 *</b>     | Side-by-side installation kit required when installing two (or more) MasterCool units side-by-side with a gap of less than 160 mm                                                                                                                                                               | <b>1,259</b>  |
| <b>Freestanding wine conditioning unit</b> |                       |                                                                                                                                                                                                                                                                                                 |               |
| 12443630                                   | <b>KWTS 4785 F</b>    | Black with Obsidian Black tinted, tempered glass door, 2 separate temperature zones, 5° - 20° C, 153 bottle capacity, 6 telescopic wooden shelves, ActiveHumidity, Active AirClean air filter                                                                                                   | <b>10,499</b> |
| <b>Built-under wine conditioning unit</b>  |                       |                                                                                                                                                                                                                                                                                                 |               |
| 12690500                                   | <b>KWTUS 7054 F</b>   | Under bench single zone model with UV-resistant, tinted & insulated glass door, 5° to 20° C, 44 bottle capacity, 4 telescopic wooden shelves, ActiveHumidity, Active AirClean air filter, Wi-Fi enabled, KSKBU 7000 kits required for side-by-side placement                                    | <b>5,999</b>  |
| <b>Wine conditioning unit accessories</b>  |                       |                                                                                                                                                                                                                                                                                                 |               |
| 09799630                                   | <b>KSK 6300 *</b>     | Side-by-side installation kit required when installing two (or more) built-under Wine conditioning units side-by-side with no gap between units                                                                                                                                                 | <b>139</b>    |
| 12770420                                   | <b>KSKBU 7000</b>     | Side-by-side installation kit required when installing two (or more) KWTUS 7054 F models                                                                                                                                                                                                        | <b>139</b>    |
| 12820650                                   | <b>KBWBU 7000</b>     | Fixing bracket for KWTUS 7054 F for attaching a filler panel to align the height with adjacent cabinetry                                                                                                                                                                                        | <b>99</b>     |

# Notes

# Notes

# Notes

---

**Head office**

8 College Hill  
Freemans Bay, Auckland, 1011

**Miele Experience Centre Auckland**

8 College Hill  
Freemans Bay, Auckland, 1011

**Miele Experience Centre Wellington**

183 Featherston Street  
Wellington, 6011

**Miele Experience Centre Christchurch**

2 Cathedral Square  
Christchurch, 8011

**Telephone**

0800 4 MIELE (0800 464 353)

[www.miele.co.nz](http://www.miele.co.nz)

Trading Conditions: Sales transactions are made between Miele New Zealand Ltd. and the end consumer.

Terms and conditions of sale are outlined on the official GST tax invoice.

The Miele Chartered Agent acts on behalf of Miele New Zealand Ltd.

For further information about our products and services please visit our website: [www.miele.co.nz](http://www.miele.co.nz)

Pricing is valid throughout New Zealand and is correct as at 8 October, 2026.

For current pricing visit [miele.co.nz](http://miele.co.nz)

All prices quoted are in New Zealand Dollars, inclusive of GST. Product availability and prices are subject to change without prior notice.